RUST-KOTE STATE OF THE ART **RUST TRANSFORMER**

RUST-KOTE is a unique combination of specially blended organic acids and acrylic polymers that perform two jobs at once. The first step is to convert the rust into a black iron containing, organometallic complex. Step Two, a clear protective acrylic coating is formed. Once applied, the treated area can be left as is or painted over if a color other than black is desired.

RUST-KOTE can be used on all metal rusted surfaces:

Bridges Buildings Rolling Stock Pipe **HVAC Systems** Ships **Docking Facilities** Vehicles Machinery Tools Heavy Equipment Cranes Scaffolding Structural Steel Grounds Equipment Tanks Water Barrier Equipment Etc.

DIRECTIONS

NOTE: Wearing chemical resistant gloves is recommended.

- 1. For best results, workpiece and can should be at room temperature (above 65°F.)
- 2. Surfaces must be clean, dry and free of grease, dirt and oil. Remove loose rust and paint with coarse sandpaper or a wire brush.
- 3. Before using, shake can until ball rattles freely for at least one minute. Holding the can 8 to 10 inches from the surface, spray a thin, even coating onto the rusted metal. Avoid over application, sagging and dripping. In some cases, a second application may be useful to insure complete coverage and treatment. Wait until the first coat is completely dry before making a second application. A second application may not necessarily cause the surface to darken further. May be painted after final application has cured for approximately 6 hours.

See Safety Data Sheet for complete safety information 24 HOUR MEDICAL EMERGENCY: 1-866-836-8855

MADE IN THE U.S.A.

Product Code: 2400-A To Reorder Call (281) 647-9700 or 1-800-295-BETA



RUST TRANSFORMER

- No Chlorinated Solvents
- Creates a Paintable Protective Coating
- Operating Range Above 65 Degrees
- Chemically Neutralizes Rust

DANGER:

FLAMMABLE. MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. **CONTENTS UNDER PRESSURE.** SEE OTHER CAUTIONS ON BACK PANEL.

NET WT. 11 OZ (311 q)

RUST-KOTE STATE OF THE ART RUST TRANSFORMER

DANGER: Extremely flammable aerosol, Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/ sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 49°C/120°F. Dispose of contents/container in accordance with local/regional/national/international regulations.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eve irritation persists: Get medical advice/ attention. IF EXPOSED OR CONCERNED: Get medical advice/attention. IF ON SKIN: Wash off with soap and water. Get medical attention if irritation develops and persists. IF SWALLOWED: In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.

CONTAINS (CAS No.): Acetone (67-64-1). Butane (106-97-8), Isopropyl Alcohol (67-63-0), Propane (74-98-6). Propylene Glycol Methyl Ether (107-98-2). Tannic Acid (1401-55-4) and Toluene (108-88-3).

Sold by:

BETA TECHNOLOGY, INC. Corporate Headquarters P.O. Box 218686 Houston, TX 77218-8686 1-800-295-BETA

Caution: Use with adequate ventilation. Intentional misuse by concentrating and inhaling the product can be harmful or fatal. KEEP OUT OF REACH OF CHILDREN.

Warning: This product contains a chemical(s) known to the state of California to cause birth defects or other reproductive harm.

HMIS® RATING: Health, 3*; Flammability, 4; Physical Hazard, 0: Personal Protection, X, *=Chronic